
Precision Planting®

**vDrive Conversion
Kit Installation
955379**

Precision Planting Warranty & Liability Policy (Revision effective 7-1-10)

Warranties, Disclaimers, and Limitation of Remedies:

These terms and conditions represent the entire agreement between the parties hereto and there are no collateral, oral, or other agreements or understandings, unless expressly stipulated.

Precision Planting warrants that all Precision Planting products, equipment and merchandise are free from defects in material and workmanship. The term of the express warranty recited herein shall be limited to one (1) year from the date of sale by Precision Planting. This warranty shall only extend to the dealer if this warranty is properly presented to Customer. With respect to 20/20 SeedSense, AirForce and RowFlow, the express warranty recited herein shall only apply if such products are properly registered by the Customer.

These terms and conditions represent the entire agreement between the parties hereto and there are no collateral, oral, or other agreements or understandings, unless expressly stipulated.

The express warranty recited herein does not extend to any costs or damages other than one of the following, which Precision Planting shall elect at its sole discretion: replacement, repair, or refund of the purchase price.

Precision Planting makes no other warranty of any kind whatsoever, express or implied.

ANY EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY PRECISION PLANTING. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Precision Planting is NOT LIABLE FOR CONSEQUENTIAL DAMAGES of any nature whatsoever, including without limitation lost yield, replanting cost, supplies or other expenses. Precision Planting is NOT LIABLE FOR INCIDENTAL DAMAGES of any nature whatsoever, including without limitation diagnostic and installation expenses, travel expenses, and shipping expenses. The limitations of remedy recited herein apply to any action by the Customer whether or not such action is based in warranty.

Some states or jurisdictions do not allow the exclusion or limitation of implied warranties, incidental damages or consequential damages; so the above limitations or exclusions may not apply to you.

Liability:

Customer assumes all liability for damages from accidents caused by or incurred in the use of transportation of said equipment. Customer agrees to indemnify and hold harmless the said Precision Planting, its officers, agents, and employees from any and all damages and/or liability to any person whomsoever arising out of or resulting from the use, storage, or transportation of said equipment by the Customer or anyone else while the equipment is in the custody of the Customer. The Customer acknowledges receipt of the equipment in good working condition and repair. In the event of any accident involving said equipment, Customer shall promptly furnish to Precision Planting a complete report in writing, with names and addresses of witnesses and parties involved and Customer shall make all reports required by law. Customer agrees to review and follow any published safety instructions in the product manual.

Notice of Non-Waiver:

The failure by Precision Planting, at any one or more time, to insist upon the strict performance by the Customer of the covenants, conditions and/or terms of this agreement, shall not be construed as a waiver of Precision Planting's right to demand strict compliance with and performance of all covenants, conditions and/or terms hereof. Notice of demand for strict compliance is hereby waived by the Customer, and time is expressly made of the essence of this agreement.


Choice of Law:

Any dispute or claim arising from or related to this Policy, or related to a product governed by this Policy, shall be governed by the laws of the State of Illinois.

Install

Parts List:

- 768203 vDrive Clip for vSet 2 (Qty 1)
- 768099 Hand Drive Knob (Qty 1)
- Zip Tie (Qty 1)
- 768196 Spring Pin (Qty 1)
- #10-24 Machine Nut (Qty 1)
- #10-24 x ¾" Pan Head Machine Screw (Qty 1)



Pre-Installation Notes:

1. Verify all parts listed are present before beginning installation.
2. The 768332 vSet 2 Conversion Kit is used for customers with vDrive that wish to transfer from vSet Classic to vSet 2.

Step 1

Slide the vDrive Harness through the vDrive Clip with the flange of the clip facing downward and towards the output gear of vDrive.

Step 2

Align the clip correctly both vertically and horizontally. Once aligned tighten the screw to touch + ¼ turn.




The flange must be oriented downward towards the output gear of vDrive.



Horizontal Alignment: The clip holder must align with the screw and output gear housing.



Vertical Alignment: The clip must be flush with the vDrive Module housing.



Top view of aligned vDrive Module housing.

Step 3

Insert the 4 pin deutsch vDrive harness connector onto the vDrive Clip. Slide the clip downwards until it clicks into place.




Step 4

Route the harness into the clip and zip tie it securely. Do not stretch harness. Gradual turns through the clip are important for the longevity of the harness.



Step 5

If your vSet 2 meter was used for a mechanically driven planter and you are upgrading to vDrive, this finishing kit does supply a hand drive knob (768099) and spring pin (768196) to be installed. You can either pin back the butterfly drive dogs or replace it with the hand drive knob (768099).



Step 6

Use a 3/32" pin punch and hammer to remove the butterfly drive. To drive out the pin, position the mechanical adapter on a bench vise or securely hold it. Use the punch to drive the spring pin out of the hole. Be careful not to bend or snap the punch. Refer to the vSet 2 Meter Installation Guide for more information.