

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

27 Hole Corn Disk							
Driver	Driven	20"	22"	30"	36"	38"	40"
15	28	25,741	23,401	17,161	14,301	13,548	12,871
15	27	26,695	24,268	17,796	14,830	14,050	13,347
15	26	27,721	25,201	18,480	15,400	14,590	13,860
15	25	28,829	26,208	19,220	16,016	15,173	14,415
17	28	29,174	26,521	19,449	16,208	15,354	14,587
15	24	30,031	27,301	20,021	16,684	15,806	15,015
17	27	30,254	27,503	20,169	16,808	15,923	15,127
15	23	31,337	28,488	20,891	17,409	16,493	15,668
17	26	31,418	28,562	20,945	17,454	16,536	15,709
19	28	32,606	29,642	21,737	18,114	17,161	16,303
17	25	32,673	29,703	21,782	18,152	17,197	16,337
19	27	33,812	30,739	22,542	18,785	17,796	16,906
17	24	34,035	30,941	22,690	18,908	17,913	17,018
19	26	35,114	31,921	23,409	19,508	18,481	17,557
17	23	35,515	32,286	23,677	19,731	18,692	17,758
19	25	36,518	33,198	24,345	20,288	19,220	18,259
15	19	37,933	34,485	25,289	21,074	19,965	18,967
19	24	38,040	34,581	25,360	21,133	20,021	19,020
23	28	39,469	35,881	26,313	21,927	20,773	19,734
19	23	39,693	36,085	26,462	22,052	20,891	19,847
23	27	40,932	37,211	27,288	22,740	21,543	20,466
24	28	41,185	37,441	27,457	22,881	21,676	20,593
15	17	42,397	38,543	28,265	23,554	22,314	21,198
24	27	42,711	38,828	28,474	23,728	22,479	21,355
17	19	42,992	39,084	28,662	23,885	22,628	21,496
23	25	44,206	40,187	29,471	24,559	23,266	22,103
26	28	44,618	40,561	29,745	24,788	23,483	22,309
23	24	46,049	41,862	30,699	25,583	24,236	23,024
24	25	46,128	41,934	30,752	25,627	24,278	23,064
27	28	46,334	42,122	30,889	25,741	24,386	23,167
23	23	48,050	43,682	32,033	26,694	25,289	24,025
28	27	49,830	45,300	33,220	27,683	26,226	24,915
27	26	49,898	45,362	33,265	27,721	26,262	24,949
24	23	50,139	45,581	33,426	27,855	26,389	25,070
28	26	51,746	47,041	34,497	28,748	27,234	25,873
27	25	51,894	47,176	34,596	28,830	27,313	25,947

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

27 Hole Corn Disk							
Driver	Driven	20"	22"	30"	36"	38"	40"
25	23	52,228	47,480	34,819	29,016	27,488	26,114
19	17	53,703	48,821	35,802	29,835	28,265	26,852
27	24	54,056	49,142	36,037	30,031	28,450	27,028
26	23	54,317	49,379	36,212	30,176	28,588	27,159
28	24	56,059	50,963	37,373	31,144	29,505	28,029
27	23	56,406	51,279	37,604	31,337	29,688	28,203
23	19	58,166	52,879	38,778	32,315	30,614	29,083
28	23	58,496	53,178	38,997	32,498	30,787	29,248
24	19	60,694	55,177	40,463	33,719	31,944	30,347
25	19	63,224	57,476	42,149	35,124	33,276	31,612
23	17	65,009	59,099	43,340	36,116	34,215	32,505
26	19	65,752	59,774	43,835	36,529	34,606	32,876
24	17	67,836	61,669	45,224	37,687	35,703	33,918
27	19	68,281	62,074	45,521	37,934	35,938	34,141
25	17	70,662	64,239	47,108	39,257	37,191	35,331
28	19	70,811	64,374	47,207	39,339	37,269	35,405
26	17	73,489	66,808	48,993	40,827	38,678	36,744
23	15	73,676	66,978	49,118	40,931	38,777	36,838
27	17	76,314	69,376	50,876	42,397	40,165	38,157

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

80 Hole Soybean Disk						
Driver	Driven	15"	20"	22"	30"	36"
15	28	101,693	76,270	69,336	50,847	42,372
15	27	105,460	79,095	71,905	52,730	43,942
15	26	109,513	82,135	74,668	54,757	45,631
15	25	113,893	85,420	77,655	56,947	47,456
17	28	115,253	86,440	78,582	57,627	48,022
15	24	118,640	88,980	80,891	59,320	49,433
17	27	119,520	89,640	81,491	59,760	49,800
15	23	123,800	92,850	84,409	61,900	51,583
17	26	124,120	93,090	84,627	62,060	51,717
19	28	128,813	96,610	87,827	64,407	53,672
17	25	129,080	96,810	88,009	64,540	53,783
19	27	133,580	100,185	91,077	66,790	55,658
17	24	134,460	100,845	91,677	67,230	56,025
19	26	138,720	104,040	94,582	69,360	57,800
17	23	140,307	105,230	95,664	70,153	58,461
19	25	144,267	108,200	98,364	72,133	60,111
15	19	149,860	112,395	102,177	74,930	62,442
19	24	150,280	112,710	102,464	75,140	62,617
23	28	155,927	116,945	106,314	77,963	64,969
19	23	156,813	117,610	106,918	78,407	65,339
23	27	161,707	121,280	110,255	80,853	67,378
24	28	162,707	122,030	110,936	81,353	67,794
15	17	167,493	125,620	114,200	83,747	69,789
24	27	168,733	126,550	115,045	84,367	70,306
17	19	169,847	127,385	115,805	84,923	70,769
23	25	174,640	130,980	119,073	87,320	72,767
26	28	176,267	132,200	120,182	88,133	73,444
23	24	181,920	136,440	124,036	90,960	75,800
24	25	182,233	136,675	124,250	91,117	75,931
27	28	183,047	137,285	124,805	91,523	76,269
23	23	189,827	142,370	129,427	94,913	79,094
28	27	196,860	147,645	134,223	98,430	82,025
27	26	197,127	147,845	134,405	98,563	82,136
24	23	198,080	148,560	135,055	99,040	82,533
28	26	204,427	153,320	139,382	102,213	85,178
27	25	205,013	153,760	139,782	102,507	85,422

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

80 Hole Soybean Disk						
Driver	Driven	15"	20"	22"	30"	36"
25	23	206,333	154,750	140,682	103,167	85,972
19	17	212,160	159,120	144,655	106,080	88,400
27	24	213,553	160,165	145,605	106,777	88,981
26	23	214,587	160,940	146,309	107,293	89,411
28	24	221,467	166,100	151,000	110,733	92,278
27	23	222,840	167,130	151,936	111,420	92,850
23	19	229,793	172,345	156,677	114,897	95,747
28	23	231,093	173,320	157,564	115,547	96,289
24	19	239,780	179,835	163,486	119,890	99,908
25	19	249,773	187,330	170,300	124,887	104,072
23	17	256,827	192,620	175,109	128,413	107,011
26	19	259,760	194,820	177,109	129,880	108,233
24	17	267,993	200,995	182,723	133,997	111,664
27	19	269,753	202,315	183,923	134,877	112,397
25	17	279,160	209,370	190,336	139,580	116,317
28	19	279,747	209,810	190,736	139,873	116,561
26	17	290,327	217,745	197,950	145,163	120,969
23	15	291,067	218,300	198,455	145,533	121,278
27	17	301,487	226,115	205,559	150,743	125,619

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

32 Hole Sugar Beet Disk							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
15	28	12.2	40,677	30,508	27,735	20,339	16,949
15	27	11.7	42,184	31,638	28,762	21,092	17,577
15	26	11.3	43,805	32,854	29,867	21,903	18,252
15	25	10.9	45,557	34,168	31,062	22,779	18,982
17	28	10.8	46,101	34,576	31,433	23,051	19,209
15	24	10.4	47,456	35,592	32,356	23,728	19,773
17	27	10.4	47,808	35,856	32,596	23,904	19,920
15	23	10	49,520	37,140	33,764	24,760	20,633
17	26	10	49,648	37,236	33,851	24,824	20,687
19	28	9.6	51,525	38,644	35,131	25,763	21,469
17	25	9.6	51,632	38,724	35,204	25,816	21,513
19	27	9.3	53,432	40,074	36,431	26,716	22,263
17	24	9.2	53,784	40,338	36,671	26,892	22,410
19	26	8.9	55,488	41,616	37,833	27,744	23,120
17	23	8.8	56,123	42,092	38,265	28,061	23,384
19	25	8.6	57,707	43,280	39,345	28,853	24,044
15	19	8.3	59,944	44,958	40,871	29,972	24,977
19	24	8.2	60,112	45,084	40,985	30,056	25,047
23	28	7.9	62,371	46,778	42,525	31,185	25,988
19	23	7.9	62,725	47,044	42,767	31,363	26,136
23	27	7.7	64,683	48,512	44,102	32,341	26,951
24	28	7.6	65,083	48,812	44,375	32,541	27,118
15	17	7.4	66,997	50,248	45,680	33,499	27,916
24	27	7.3	67,493	50,620	46,018	33,747	28,122
17	19	7.3	67,939	50,954	46,322	33,969	28,308
23	25	7.1	69,856	52,392	47,629	34,928	29,107
26	28	7	70,507	52,880	48,073	35,253	29,378
23	24	6.8	72,768	54,576	49,615	36,384	30,320
24	25	6.8	72,893	54,670	49,700	36,447	30,372
27	28	6.8	73,219	54,914	49,922	36,609	30,508
23	23	6.5	75,931	56,948	51,771	37,965	31,638
28	27	6.3	78,744	59,058	53,689	39,372	32,810
27	26	6.3	78,851	59,138	53,762	39,425	32,854
24	23	6.3	79,232	59,424	54,022	39,616	33,013
28	26	6.1	81,771	61,328	55,753	40,885	34,071
27	25	6	82,005	61,504	55,913	41,003	34,169

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

32 Hole Sugar Beet Disk							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
25	23	6	82,533	61,900	56,273	41,267	34,389
19	17	5.8	84,864	63,648	57,862	42,432	35,360
27	24	5.8	85,421	64,066	58,242	42,711	35,592
26	23	5.8	85,835	64,376	58,524	42,917	35,764
28	24	5.6	88,587	66,440	60,400	44,293	36,911
27	23	5.6	89,136	66,852	60,775	44,568	37,140
23	19	5.4	91,917	68,938	62,671	45,959	38,299
28	23	5.4	92,437	69,328	63,025	46,219	38,516
24	19	5.2	95,912	71,934	65,395	47,956	39,963
25	19	5	99,909	74,932	68,120	49,955	41,629
23	17	4.8	102,731	77,048	70,044	51,365	42,804
26	19	4.8	103,904	77,928	70,844	51,952	43,293
24	17	4.6	107,197	80,398	73,089	53,599	44,666
27	19	4.6	107,901	80,926	73,569	53,951	44,959
25	17	4.4	111,664	83,748	76,135	55,832	46,527
28	19	4.4	111,899	83,924	76,295	55,949	46,624
26	17	4.3	116,131	87,098	79,180	58,065	48,388
23	15	4.3	116,427	87,320	79,382	58,213	48,511
27	17	4.1	120,595	90,446	82,224	60,297	50,248

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

39 Hole Disk 3-Seed Hilldrop Cotton							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
15	28	12.2	49,576	37,182	33,801	24,788	20,656
15	27	11.7	51,412	38,559	35,053	25,706	21,422
15	26	11.3	53,388	40,041	36,401	26,694	22,245
15	25	10.9	55,523	41,642	37,857	27,762	23,135
17	28	10.8	56,186	42,140	38,309	28,093	23,411
15	24	10.4	57,837	43,378	39,434	28,919	24,099
17	27	10.4	58,266	43,700	39,727	29,133	24,278
15	23	10	60,353	45,264	41,149	30,176	25,147
17	26	10	60,509	45,381	41,256	30,254	25,212
19	28	9.6	62,797	47,097	42,816	31,398	26,165
17	25	9.6	62,927	47,195	42,904	31,463	26,219
19	27	9.3	65,120	48,840	44,400	32,560	27,133
17	24	9.2	65,549	49,162	44,693	32,775	27,312
19	26	8.9	67,626	50,720	46,109	33,813	28,178
17	23	8.8	68,400	51,300	46,636	34,200	28,500
19	25	8.6	70,330	52,748	47,952	35,165	29,304
15	19	8.3	73,057	54,793	49,811	36,528	30,440
19	24	8.2	73,262	54,946	49,951	36,631	30,526
23	28	7.9	76,014	57,011	51,828	38,007	31,673
19	23	7.9	76,447	57,335	52,123	38,223	31,853
23	27	7.7	78,832	59,124	53,749	39,416	32,847
24	28	7.6	79,320	59,490	54,081	39,660	33,050
15	17	7.4	81,653	61,240	55,673	40,827	34,022
24	27	7.3	82,258	61,693	56,085	41,129	34,274
17	19	7.3	82,800	62,100	56,455	41,400	34,500
23	25	7.1	85,137	63,853	58,048	42,569	35,474
26	28	7	85,930	64,448	58,589	42,965	35,804
23	24	6.8	88,686	66,515	60,468	44,343	36,953
24	25	6.8	88,839	66,629	60,572	44,419	37,016
27	28	6.8	89,235	66,926	60,842	44,618	37,181
23	23	6.5	92,541	69,405	63,096	46,270	38,559
28	27	6.3	95,969	71,977	65,434	47,985	39,987
27	26	6.3	96,099	72,074	65,522	48,050	40,041
24	23	6.3	96,564	72,423	65,839	48,282	40,235
28	26	6.1	99,658	74,744	67,949	49,829	41,524
27	25	6	99,944	74,958	68,144	49,972	41,643

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

39 Hole Disk 3-Seed Hilldrop Cotton							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
25	23	6	100,588	75,441	68,582	50,294	41,911
19	17	5.8	103,428	77,571	70,519	51,714	43,095
27	24	5.8	104,107	78,080	70,982	52,054	43,378
26	23	5.8	104,611	78,458	71,326	52,306	43,588
28	24	5.6	107,965	80,974	73,613	53,983	44,985
27	23	5.6	108,635	81,476	74,069	54,317	45,264
23	19	5.4	112,024	84,018	76,380	56,012	46,677
28	23	5.4	112,658	84,494	76,812	56,329	46,941
24	19	5.2	116,893	87,670	79,700	58,446	48,705
25	19	5	121,765	91,323	83,021	60,882	50,735
23	17	4.8	125,203	93,902	85,366	62,602	52,168
26	19	4.8	126,633	94,975	86,341	63,317	52,764
24	17	4.6	130,647	97,985	89,077	65,323	54,436
27	19	4.6	131,505	98,629	89,662	65,752	54,794
25	17	4.4	136,091	102,068	92,789	68,045	56,704
28	19	4.4	136,377	102,282	92,984	68,188	56,824
26	17	4.3	141,534	106,151	96,501	70,767	58,973
23	15	4.3	141,895	106,421	96,747	70,948	59,123
27	17	4.1	146,975	110,231	100,210	73,487	61,239

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

40 Hole Disk 2-Seed Hilldrop Cotton							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
15	28	12.2	50,847	38,135	34,668	25,423	21,186
15	27	11.7	52,730	39,548	35,952	26,365	21,971
15	26	11.3	54,757	41,068	37,334	27,378	22,815
15	25	10.9	56,947	42,710	38,827	28,473	23,728
17	28	10.8	57,627	43,220	39,291	28,813	24,011
15	24	10.4	59,320	44,490	40,445	29,660	24,717
17	27	10.4	59,760	44,820	40,745	29,880	24,900
15	23	10	61,900	46,425	42,205	30,950	25,792
17	26	10	62,060	46,545	42,314	31,030	25,858
19	28	9.6	64,407	48,305	43,914	32,203	26,836
17	25	9.6	64,540	48,405	44,005	32,270	26,892
19	27	9.3	66,790	50,093	45,539	33,395	27,829
17	24	9.2	67,230	50,423	45,839	33,615	28,013
19	26	8.9	69,360	52,020	47,291	34,680	28,900
17	23	8.8	70,153	52,615	47,832	35,077	29,231
19	25	8.6	72,133	54,100	49,182	36,067	30,056
15	19	8.3	74,930	56,198	51,089	37,465	31,221
19	24	8.2	75,140	56,355	51,232	37,570	31,308
23	28	7.9	77,963	58,473	53,157	38,982	32,485
19	23	7.9	78,407	58,805	53,459	39,203	32,669
23	27	7.7	80,853	60,640	55,127	40,427	33,689
24	28	7.6	81,353	61,015	55,468	40,677	33,897
15	17	7.4	83,747	62,810	57,100	41,873	34,894
24	27	7.3	84,367	63,275	57,523	42,183	35,153
17	19	7.3	84,923	63,693	57,902	42,462	35,385
23	25	7.1	87,320	65,490	59,536	43,660	36,383
26	28	7	88,133	66,100	60,091	44,067	36,722
23	24	6.8	90,960	68,220	62,018	45,480	37,900
24	25	6.8	91,117	68,338	62,125	45,558	37,965
27	28	6.8	91,523	68,643	62,402	45,762	38,135
23	23	6.5	94,913	71,185	64,714	47,457	39,547
28	27	6.3	98,430	73,823	67,111	49,215	41,013
27	26	6.3	98,563	73,923	67,202	49,282	41,068
24	23	6.3	99,040	74,280	67,527	49,520	41,267
28	26	6.1	102,213	76,660	69,691	51,107	42,589
27	25	6	102,507	76,880	69,891	51,253	42,711

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

40 Hole Disk 2-Seed Hilldrop Cotton							
Driver	Driven	Avg. Spacing	15"	20"	22"	30"	36"
25	23	6	103,167	77,375	70,341	51,583	42,986
19	17	5.8	106,080	79,560	72,327	53,040	44,200
27	24	5.8	106,777	80,083	72,802	53,388	44,490
26	23	5.8	107,293	80,470	73,155	53,647	44,706
28	24	5.6	110,733	83,050	75,500	55,367	46,139
27	23	5.6	111,420	83,565	75,968	55,710	46,425
23	19	5.4	114,897	86,173	78,339	57,448	47,874
28	23	5.4	115,547	86,660	78,782	57,773	48,144
24	19	5.2	119,890	89,918	81,743	59,945	49,954
25	19	5	124,887	93,665	85,150	62,443	52,036
23	17	4.8	128,413	96,310	87,555	64,207	53,506
26	19	4.8	129,880	97,410	88,555	64,940	54,117
24	17	4.6	133,997	100,498	91,361	66,998	55,832
27	19	4.6	134,877	101,158	91,961	67,438	56,199
25	17	4.4	139,580	104,685	95,168	69,790	58,158
28	19	4.4	139,873	104,905	95,368	69,937	58,281
26	17	4.3	145,163	108,873	98,975	72,582	60,485
23	15	4.3	145,533	109,150	99,227	72,767	60,639
27	17	4.1	150,743	113,058	102,780	75,372	62,810

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

70 Hole Disk						
Driver	Driven	15"	20"	22"	30"	36"
15	28	88,982	66,736	60,669	44,491	37,076
15	27	92,278	69,208	62,916	46,139	38,449
15	26	95,824	71,868	65,335	47,912	39,927
15	25	99,657	74,743	67,948	49,828	41,524
17	28	100,847	75,635	68,759	50,423	42,019
15	24	103,810	77,858	70,780	51,905	43,254
17	27	104,580	78,435	71,305	52,290	43,575
15	23	108,325	81,244	73,858	54,163	45,135
17	26	108,605	81,454	74,049	54,303	45,252
19	28	112,712	84,534	76,849	56,356	46,963
17	25	112,945	84,709	77,008	56,473	47,060
19	27	116,883	87,662	79,693	58,441	48,701
17	24	117,653	88,239	80,218	58,826	49,022
19	26	121,380	91,035	82,759	60,690	50,575
17	23	122,768	92,076	83,706	61,384	51,153
19	25	126,233	94,675	86,068	63,117	52,597
15	19	131,128	98,346	89,405	65,564	54,636
19	24	131,495	98,621	89,656	65,748	54,790
23	28	136,436	102,327	93,024	68,218	56,848
19	23	137,212	102,909	93,553	68,606	57,172
23	27	141,493	106,120	96,473	70,747	58,956
24	28	142,368	106,776	97,069	71,184	59,320
15	17	146,557	109,918	99,925	73,278	61,065
24	27	147,642	110,731	100,665	73,821	61,517
17	19	148,616	111,462	101,329	74,308	61,923
23	25	152,810	114,608	104,189	76,405	63,671
26	28	154,233	115,675	105,159	77,117	64,264
23	24	159,180	119,385	108,532	79,590	66,325
24	25	159,454	119,591	108,719	79,727	66,439
27	28	160,166	120,124	109,204	80,083	66,736
23	23	166,098	124,574	113,249	83,049	69,208
28	27	172,253	129,189	117,445	86,126	71,772
27	26	172,486	129,364	117,604	86,243	71,869
24	23	173,320	129,990	118,173	86,660	72,217
28	26	178,873	134,155	121,959	89,437	74,531
27	25	179,387	134,540	122,309	89,693	74,744

Kinze 3200 EdgeVac to vSet (15-tooth Sprocket)

70 Hole Disk						
Driver	Driven	15"	20"	22"	30"	36"
25	23	180,542	135,406	123,097	90,271	75,226
19	17	185,640	139,230	126,573	92,820	77,350
27	24	186,859	140,144	127,404	93,430	77,858
26	23	187,763	140,823	128,020	93,882	78,235
28	24	193,783	145,338	132,125	96,892	80,743
27	23	194,985	146,239	132,944	97,493	81,244
23	19	201,069	150,802	137,093	100,535	83,779
28	23	202,207	151,655	137,868	101,103	84,253
24	19	209,808	157,356	143,051	104,904	87,420
25	19	218,552	163,914	149,013	109,276	91,063
23	17	224,723	168,543	153,220	112,362	93,635
26	19	227,290	170,468	154,970	113,645	94,704
24	17	234,494	175,871	159,882	117,247	97,706
27	19	236,034	177,026	160,932	118,017	98,348
25	17	244,265	183,199	166,544	122,133	101,777
28	19	244,778	183,584	166,894	122,389	101,991
26	17	254,036	190,527	173,206	127,018	105,848
23	15	254,683	191,013	173,648	127,342	106,118
27	17	263,801	197,851	179,864	131,900	109,917